

Storage APIs

[PersistentVolume \[v1\]](#)

[PersistentVolumeClaim \[v1\]](#)

[StorageClass](#)

PersistentVolume [v1]

Description

PersistentVolume (PV) is a storage resource provisioned by an administrator. It is analogous to a node. More info: <https://kubernetes.io/docs/concepts/storage/persistent-volumes>

Type

object

Specification

Property	Type	Description
<code>apiVersion</code>	<code>string</code>	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: https://git.k8s.io/community/contributors/devel/sig-architecture/api-conventions.md#resources

Property	Type	Description
<code>kind</code>	<code>string</code>	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: https://git.k8s.io/community/contributors/devel/sig-architecture/api-conventions.md#types-kinds
<code>metadata</code>	<code>ObjectMeta</code>	ObjectMeta is metadata that all persisted resources must have, which includes all objects users must create.
<code>spec</code>	<code>object</code>	PersistentVolumeSpec is the specification of a persistent volume.
<code>status</code>	<code>object</code>	PersistentVolumeStatus is the current status of a persistent volume.

.spec

Description

PersistentVolumeSpec is the specification of a persistent volume.

Type

`object`

Property	Type	Description
<code>accessModes</code>	<code>array</code>	accessModes contains all ways the volume can be mounted. More info:

Property	Type	Description
		https://kubernetes.io/docs/concepts/storage/persistent-volumes#access-modes
<code>awsElasticBlockStore</code>	object	Represents a Persistent Disk resource in AWS. An AWS EBS disk must exist before mounting to a container. The disk must also be in the same Availability Zone as the kubelet. An AWS EBS disk can only be mounted as read/write once. AWS EBS volumes support ownership management and SELinux relabeling.
<code>azureDisk</code>	object	AzureDisk represents an Azure Data Disk mounted to the host and bind mount to the pod.
<code>azureFile</code>	object	AzureFile represents an Azure File Service mounted to the host and bind mount to the pod.
<code>capacity</code>	object	capacity is the description of the persistent volume resources and capacity. More info: https://kubernetes.io/docs/concepts/storage/persistent-volumes#capacity
<code>cephfs</code>	object	Represents a Ceph Filesystem mount that has the lifetime of a pod. Cephfs volumes do not support ownership management or SELinux relabeling.

Property	Type	Description
<code>cinder</code>	<code>object</code>	Represents a cinder volume resource in OpenStack. The cinder volume must exist before mounting to container. The volume must also be in the same region as the kubelet. Cinder volumes support ownership management and SELinux relabeling.
<code>claimRef</code>	<code>object</code>	ObjectReference contains enough information to let you inspect or modify the referred object.
<code>csi</code>	<code>object</code>	Represents storage that is managed by an external CSI volume driver.
<code>fc</code>	<code>object</code>	Represents a Fibre Channel volume. Fibre Channel volumes can only be mounted as read/write only. Fibre Channel volumes support ownership management and SELinux relabeling.
<code>flexVolume</code>	<code>object</code>	FlexPersistentVolumeSource represents a generic persistent volume resource that is provisioned/attached using an exec based plugin.
<code>flocker</code>	<code>object</code>	Represents a Flocker volume mounted by the kubelet agent. One and only one of datasetName and datasetUUID should be set. Flocker volumes support ownership management or SELinux relabeling.

Property	Type	Description
<code>gcePersistentDisk</code>	object	<p>Represents a Persistent Disk resource in Google Compute Engine.</p> <p>A GCE PD must exist before mounting to a container. The disk must also be in the same GCE project and zone as the kubelet. A GCE PD can only be mounted as read/write once or read-only many times. Containers do not support ownership management and SELinux relabeling.</p>
<code>glusterfs</code>	object	<p>Represents a Glusterfs mount that lasts the lifetime of a pod. Glusterfs volumes do not support ownership management or SELinux relabeling.</p>
<code>hostPath</code>	object	<p>Represents a host path mapped into a pod. HostPath volumes do not support ownership management or SELinux relabeling.</p>
<code>iscsi</code>	object	<p>ISCSIPersistentVolumeSource represents an iSCSI disk. ISCSI volumes can only be mounted as read/write once. ISCSI volumes support ownership management and SELinux relabeling.</p>
<code>local</code>	object	<p>Local represents directly-attached storage with no affinity.</p>
<code>mountOptions</code>	array	<p>mountOptions is the list of mount options, e.g. ["soft"]. Not validated - mount will simply fail if</p>

Property	Type	Description
		invalid. More info: https://kubernetes.io/docs/concepts/storage/persistentvolumes/#mount-options
<code>nfs</code>	<code>object</code>	Represents an NFS mount that lasts the lifetime of a pod. NFS volumes do not support ownership management or SELinux relabeling.
<code>nodeAffinity</code>	<code>object</code>	VolumeNodeAffinity defines constraints that limit which nodes this volume can be accessed from.
<code>persistentVolumeReclaimPolicy</code>	<code>string</code>	<p><code>persistentVolumeReclaimPolicy</code> defines what to do to a persistent volume when released from its claim. Valid options are Retain (default for manually provisioned PersistentVolumes), Delete (default for dynamically provisioned PersistentVolumes), and Recycle (deprecated). Recycle must be supported by the volume plugin underlying this PersistentVolume.</p> <p>More info: https://kubernetes.io/docs/concepts/storage/persistentvolumes#reclaiming</p> <p>Possible enum values:</p> <ul style="list-style-type: none"> <code>"Delete"</code> means the volume will be deleted by Kubernetes on release from its claim. The volume plugin must support Deletion. <code>"Recycle"</code> means the volume will be recycled back into the pool of unbound persistent volumes on release from its claim. The volume plugin must support Recycling.

Property	Type	Description
		<ul style="list-style-type: none"> "Retain" means the volume will be left current phase (Released) for manual reclaim by the administrator. The default policy is FirstFit.
photonPersistentDisk	object	Represents a Photon Controller persistent disk resource.
portworxVolume	object	PortworxVolumeSource represents a Portworx resource.
quobyte	object	Represents a Quobyte mount that lasts the lifetime of a pod. Quobyte volumes do not support ownership management or SELinux relabeling.
rbd	object	Represents a Rados Block Device mount that lasts the lifetime of a pod. RBD volumes support ownership management and SELinux relabeling.
scaleIO	object	ScaleIOPersistentVolumeSource represents a persistent ScaleIO volume
storageClassName	string	storageClassName is the name of StorageClass which this persistent volume belongs to. Empty string means that this volume does not belong to any StorageClass.

Property	Type	Description
<code>storageos</code>	<code>object</code>	Represents a StorageOS persistent volume resource.
<code>volumeAttributesClassName</code>	<code>string</code>	<p>Name of VolumeAttributesClass to which this persistent volume belongs. Empty value is not allowed. When this field is not set, it indicates volume does not belong to any VolumeAttributesClass. This field is mutable and can be changed by the driver after a volume has been updated successfully with a new class. For an unbound PersistentVolume, volumeAttributesClassName will be matched against unbound PersistentVolumeClaims during the provisioning process. This is a beta field and requires enablement of the VolumeAttributesClass feature (off by default).</p>
<code>volumeMode</code>	<code>string</code>	<p>volumeMode defines if a volume is intended to be used with a formatted filesystem or to remain in block state. Value of Filesystem is implied when not included in spec.</p> <p>Possible enum values:</p> <ul style="list-style-type: none"><code>"Block"</code> means the volume will not be formatted with a filesystem and will remain a raw block device.<code>"Filesystem"</code> means the volume will be formatted with a filesystem.
<code>vsphereVolume</code>	<code>object</code>	Represents a vSphere volume resource.

.spec.accessModes

Description

accessModes contains all ways the volume can be mounted. More info:
<https://kubernetes.io/docs/concepts/storage/persistent-volumes#access-modes>

Type

array

.spec.accessModes[]

Type

string

.spec.awsElasticBlockStore

Description

Represents a Persistent Disk resource in AWS. An AWS EBS disk must exist before mounting to a container. The disk must also be in the same AWS zone as the kubelet. An AWS EBS disk can only be mounted as read/write once. AWS EBS volumes support ownership management and SELinux relabeling.

Type

object

Required

volumeID

Property	Type	Description
<code>fsType</code>	<code>string</code>	<p><code>fsType</code> is the filesystem type of the volume that you want to mount. Ensure that the filesystem type is supported by the host operating system. Examples: "ext4", "xfs", "ntfs". Implicitly inferred to be "ext4" if unspecified. More info: https://kubernetes.io/docs/concepts/storage/volumes#awselasticblockstore</p>
<code>partition</code>	<code>integer</code>	<p><code>partition</code> is the partition in the volume that you want to mount. If omitted the default is to mount by volume name. Examples: For volume /dev/sda1 you specify the partition as "1". Similarly, the volume partition for /dev/sda is "0" (or you can leave the property empty).</p>
<code>readOnly</code>	<code>boolean</code>	<p><code>readOnly</code> value true will force the readOnly setting in VolumeMounts. More info: https://kubernetes.io/docs/concepts/storage/volumes#awselasticblockstore</p>
<code>volumeID</code>	<code>string</code>	<p><code>volumeID</code> is unique ID of the persistent disk resource in AWS (Amazon EBS volume). More info: https://kubernetes.io/docs/concepts/storage/volumes#awselasticblockstore</p>

.spec.azureDisk

Description

AzureDisk represents an Azure Data Disk mount on the host and bind mount to the pod.

Type

object

Required

diskName

diskURI

Property	Type	Description
<div data-bbox="165 689 359 734">cachingMode</div>	<div data-bbox="443 689 555 734">string</div>	<p>cachingMode is the Host Caching mode: None, Read Only, Read Write.</p> <p>Possible enum values:</p> <ul style="list-style-type: none"> <div data-bbox="694 745 805 790">"None"</div> <div data-bbox="694 824 869 869">"ReadOnly"</div> <div data-bbox="694 902 885 947">"ReadWrite"</div>
<div data-bbox="165 1070 311 1115">diskName</div>	<div data-bbox="443 1070 555 1115">string</div>	<p>diskName is the Name of the data disk in the blob storage</p>
<div data-bbox="165 1261 295 1305">diskURI</div>	<div data-bbox="443 1261 555 1305">string</div>	<p>diskURI is the URI of data disk in the blob storage</p>
<div data-bbox="165 1507 279 1552">fsType</div>	<div data-bbox="443 1507 555 1552">string</div>	<p>fsType is Filesystem type to mount. Must be a filesystem type supported by the host operating system. Ex. "ext4", "xfs", "ntfs". Implicitly inferred to be "ext4" if unspecified.</p>
<div data-bbox="165 1697 247 1742">kind</div>	<div data-bbox="443 1697 555 1742">string</div>	<p>kind expected values are Shared: multiple blob disks per storage account Dedicated: single blob disk per storage account Managed: azure managed data disk (only in managed availability set). defaults to shared</p> <p>Possible enum values:</p> <ul style="list-style-type: none"> <div data-bbox="694 2101 869 2145">"Dedicated"</div>

Property	Type	Description
		<ul style="list-style-type: none"> "Managed" "Shared"
<code>readOnly</code>	<code>boolean</code>	readOnly Defaults to false (read/write). ReadOnly here will force the ReadOnly setting in VolumeMounts.

.spec.azureFile

Description

AzureFile represents an Azure File Service mount on the host and bind mount to the pod.

Type

`object`

Required

`secretName`

`shareName`

Property	Type	Description
<code>readOnly</code>	<code>boolean</code>	readOnly defaults to false (read/write). ReadOnly here will force the ReadOnly setting in VolumeMounts.
<code>secretName</code>	<code>string</code>	secretName is the name of secret that contains Azure Storage Account Name and Key
<code>secretNamespace</code>	<code>string</code>	secretNamespace is the namespace of the secret that contains Azure Storage Account Name and Key default is the same as the Pod

Property	Type	Description
shareName	string	shareName is the azure Share Name

.spec.capacity

Description

capacity is the description of the persistent volume's resources and capacity. More info: <https://kubernetes.io/docs/concepts/storage/persistent-volumes#capacity>

Type

object

.spec.cephfs

Description

Represents a Ceph Filesystem mount that lasts the lifetime of a pod Cephfs volumes do not support ownership management or SELinux relabeling.

Type

object

Required

monitors

Property	Type	Description
monitors	array	monitors is Required: Monitors is a collection of Ceph monitors More info: https://examples.k8s.io/volumes/cephfs/README.md#how-to-use-it

Property	Type	Description
<code>path</code>	<code>string</code>	<code>path</code> is Optional: Used as the mounted root, rather than the full Ceph tree, default is /
<code>readOnly</code>	<code>boolean</code>	<code>readOnly</code> is Optional: Defaults to false (read/write). <code>ReadOnly</code> here will force the <code>ReadOnly</code> setting in <code>VolumeMounts</code> . More info: https://examples.k8s.io/volumes/cephfs/README.md#how-to-use-it
<code>secretFile</code>	<code>string</code>	<code>secretFile</code> is Optional: <code>SecretFile</code> is the path to key ring for User, default is <code>/etc/ceph/user.secret</code> More info: https://examples.k8s.io/volumes/cephfs/README.md#how-to-use-it
<code>secretRef</code>	<code>object</code>	<code>SecretReference</code> represents a Secret Reference. It has enough information to retrieve secret in any namespace
<code>user</code>	<code>string</code>	<code>user</code> is Optional: User is the rados user name, default is <code>admin</code> More info: https://examples.k8s.io/volumes/cephfs/README.md#how-to-use-it

.spec.cephfs.monitors

Description

`monitors` is Required: `Monitors` is a collection of Ceph monitors More info:
<https://examples.k8s.io/volumes/cephfs/README.md#how-to-use-it>

Type

array

.spec.cephfs.monitors[]

Type

string

.spec.cephfs.secretRef

Description

SecretReference represents a Secret Reference. It has enough information to retrieve secret in any namespace

Type

object

Property	Type	Description
name	string	name is unique within a namespace to reference a secret resource.
namespace	string	namespace defines the space within which the secret name must be unique.

.spec.cinder

Description

Represents a cinder volume resource in Openstack. A Cinder volume must exist before mounting to a container. The volume must also be in the same region as the kubelet. Cinder volumes support ownership management and SELinux relabeling.

Type

object

Required

volumeID

Property	Type	Description
fsType	string	fsType Filesystem type to mount. Must be a filesystem type supported by the host operating system. Examples: "ext4", "xfs", "ntfs". Implicitly inferred to be "ext4" if unspecified. More info: https://examples.k8s.io/mysql-cinder-pd/README.md ↗
readOnly	boolean	readOnly is Optional: Defaults to false (read/write). ReadOnly here will force the ReadOnly setting in VolumeMounts. More info: https://examples.k8s.io/mysql-cinder-pd/README.md ↗
secretRef	object	SecretReference represents a Secret Reference. It has enough information to retrieve secret in any namespace
volumeID	string	volumeID used to identify the volume in cinder. More info: https://examples.k8s.io/mysql-cinder-pd/README.md ↗

.spec.cinder.secretRef**Description**

SecretReference represents a Secret Reference. It has enough information to retrieve secret in any namespace

Type

object

Property	Type	Description
<code>name</code>	<code>string</code>	name is unique within a namespace to reference a secret resource.
<code>namespace</code>	<code>string</code>	namespace defines the space within which the secret name must be unique.

.spec.claimRef

Description

ObjectReference contains enough information to let you inspect or modify the referred object.

Type

`object`

Property	Type	Description
<code>apiVersion</code>	<code>string</code>	API version of the referent.
<code>fieldPath</code>	<code>string</code>	If referring to a piece of an object instead of an entire object, this string should contain a valid JSON/Go field access statement, such as <code>desiredState.manifest.containers[2]</code> . For example, if the object reference is to a container within a pod, this would take on a value like: <code>"spec.containers{name}"</code> (where "name" refers to the name of the container that triggered the event) or if no container name is specified <code>"spec.containers[2]"</code> (container with index 2 in this pod).

Property	Type	Description
		This syntax is chosen only to have some well-defined way of referencing a part of an object.
kind	string	Kind of the referent. More info: https://git.k8s.io/community/contributors/devel/sig-architecture/api-conventions.md#types-kinds
name	string	Name of the referent. More info: https://kubernetes.io/docs/concepts/overview/working-with-objects/names/#names
namespace	string	Namespace of the referent. More info: https://kubernetes.io/docs/concepts/overview/working-with-objects/namespaces/
resourceVersion	string	Specific resourceVersion to which this reference is made, if any. More info: https://git.k8s.io/community/contributors/devel/sig-architecture/api-conventions.md#concurrency-control-and-consistency
uid	string	UID of the referent. More info: https://kubernetes.io/docs/concepts/overview/working-with-objects/names/#uids

Description

Represents storage that is managed by an external CSI volume driver

Type

object

Required

driver

volumeHandle

Property	Type	Description
controllerExpandSecretRef	object	SecretReference represents a Secret Reference. It has enough information to retrieve secret in any namespace
controllerPublishSecretRef	object	SecretReference represents a Secret Reference. It has enough information to retrieve secret in any namespace
driver	string	driver is the name of the driver to use for this volume. Required.
fsType	string	fsType to mount. Must be a filesystem type supported by the host operating system. Ex. "ext4", "xfs", "ntfs".
nodeExpandSecretRef	object	SecretReference represents a Secret Reference. It has enough information to retrieve secret in any namespace

Property	Type	Description
<code>nodePublishSecretRef</code>	<code>object</code>	SecretReference represents a Secret Reference. It has enough information to retrieve secret in any namespace
<code>nodeStageSecretRef</code>	<code>object</code>	SecretReference represents a Secret Reference. It has enough information to retrieve secret in any namespace
<code>readOnly</code>	<code>boolean</code>	readOnly value to pass to ControllerPublishVolumeRequest. Defaults to false (read/write).
<code>volumeAttributes</code>	<code>object</code>	volumeAttributes of the volume to publish.
<code>volumeHandle</code>	<code>string</code>	volumeHandle is the unique volume name returned by the CSI volume plugin's CreateVolume to refer to the volume on all subsequent calls. Required.

`.spec.csi.controllerExpandSecretRef`

Description

SecretReference represents a Secret Reference. It has enough information to retrieve secret in any namespace

Type

`object`

Property	Type	Description
name	string	name is unique within a namespace to reference a secret resource.
namespace	string	namespace defines the space within which the secret name must be unique.

.spec.csi.controllerPublishSecretRef

Description

SecretReference represents a Secret Reference. It has enough information to retrieve secret in any namespace

Type

object

Property	Type	Description
name	string	name is unique within a namespace to reference a secret resource.
namespace	string	namespace defines the space within which the secret name must be unique.

.spec.csi.nodeExpandSecretRef

Description

SecretReference represents a Secret Reference. It has enough information to retrieve secret in any namespace

Type

object

Property	Type	Description
name	string	name is unique within a namespace to reference a secret resource.
namespace	string	namespace defines the space within which the secret name must be unique.

.spec.csi.nodePublishSecretRef

Description

SecretReference represents a Secret Reference. It has enough information to retrieve secret in any namespace

Type

object

Property	Type	Description
name	string	name is unique within a namespace to reference a secret resource.
namespace	string	namespace defines the space within which the secret name must be unique.

.spec.csi.nodeStageSecretRef

Description

SecretReference represents a Secret Reference. It has enough information to retrieve secret in any namespace

Type

object

Property	Type	Description
name	string	name is unique within a namespace to reference a secret resource.
namespace	string	namespace defines the space within which the secret name must be unique.

.spec.csi.volumeAttributes

Description

volumeAttributes of the volume to publish.

Type

object

.spec.fc

Description

Represents a Fibre Channel volume. Fibre Channel volumes can only be mounted as read/write once. Fibre Channel volumes support ownership management and SELinux relabeling.

Type

object

Property	Type	Description
<code>fsType</code>	<code>string</code>	<code>fsType</code> is the filesystem type to mount. Must be a filesystem type supported by the host operating system. Ex. "ext4", "xfs", "ntfs". Implicitly inferred to be "ext4" if unspecified.
<code>lun</code>	<code>integer</code>	<code>lun</code> is Optional: FC target lun number
<code>readOnly</code>	<code>boolean</code>	<code>readOnly</code> is Optional: Defaults to false (read/write). <code>ReadOnly</code> here will force the <code>ReadOnly</code> setting in <code>VolumeMounts</code> .
<code>targetWWNs</code>	<code>array</code>	<code>targetWWNs</code> is Optional: FC target worldwide names (WWNs)
<code>wwids</code>	<code>array</code>	<code>wwids</code> Optional: FC volume world wide identifiers (wwids) Either <code>wwids</code> or combination of <code>targetWWNs</code> and <code>lun</code> must be set, but not both simultaneously.

`.spec.fc.targetWWNs`

Description

`targetWWNs` is Optional: FC target worldwide names (WWNs)

Type

`array`

`.spec.fc.targetWWNs[]`

Type

`string`

`.spec.fc.wwids`

Description

wwids Optional: FC volume world wide identifiers (wwids) Either wwids or combination of targetWWNs and lun must be set, but not both simultaneously.

Type

`array`

`.spec.fc.wwids[]`

Type

`string`

`.spec.flexVolume`

Description

FlexPersistentVolumeSource represents a generic persistent volume resource that is provisioned/attached using an exec based plugin.

Type

`object`

Required

`driver`

Property	Type	Description
<code>driver</code>	<code>string</code>	driver is the name of the driver to use for this volume.
<code>fsType</code>	<code>string</code>	fsType is the Filesystem type to mount. Must be a filesystem type supported by the host operating system. Ex. "ext4", "xfs",

Property	Type	Description
		"ntfs". The default filesystem depends on FlexVolume script.
options	object	options is Optional: this field holds extra command options if any.
readOnly	boolean	readOnly is Optional: defaults to false (read/write). ReadOnly here will force the ReadOnly setting in VolumeMounts.
secretRef	object	SecretReference represents a Secret Reference. It has enough information to retrieve secret in any namespace

.spec.flexVolume.options

Description

options is Optional: this field holds extra command options if any.

Type

object

.spec.flexVolume.secretRef

Description

SecretReference represents a Secret Reference. It has enough information to retrieve secret in any namespace

Type

object

Property	Type	Description
<code>name</code>	<code>string</code>	name is unique within a namespace to reference a secret resource.
<code>namespace</code>	<code>string</code>	namespace defines the space within which the secret name must be unique.

.spec.flocker

Description

Represents a Flocker volume mounted by the Flocker agent. One and only one of `datasetName` and `datasetUUID` should be set. Flocker volumes do not support ownership management or SELinux relabeling.

Type

`object`

Property	Type	Description
<code>datasetName</code>	<code>string</code>	<code>datasetName</code> is Name of the dataset stored as metadata -> name on the dataset for Flocker should be considered as deprecated
<code>datasetUUID</code>	<code>string</code>	<code>datasetUUID</code> is the UUID of the dataset. This is unique identifier of a Flocker dataset

.spec.gcePersistentDisk

Description

Represents a Persistent Disk resource in Google Compute Engine. A GCE PD must exist before mounting to a container. The disk must also be in the same GCE project and zone as the kubelet. A GCE PD can only be mounted as read/write once or read-only many times. GCE PDs support ownership management and SELinux relabeling.

Type

object

Required

pdName

Property	Type	Description
fsType	string	fsType is filesystem type of the volume that you want to mount. Tip: Ensure that the filesystem type is supported by the host operating system. Examples: "ext4", "xfs", "ntfs". Implicitly inferred to be "ext4" unspecified. More info: https://kubernetes.io/docs/concepts/storage/volumes#gcepersistent
partition	integer	partition is the partition in the volume that you want to mount. If omitted, the default is to mount by volume name. Examples: For volume /dev/sda1, you specify the partition as "1". Similarly, the volume partition for /dev/sda is "0" (or you can leave the property empty). More info: https://kubernetes.io/docs/concepts/storage/volumes#gcepersistent
pdName	string	pdName is unique name of the PD resource in GCE. Used to identify the disk in GCE. More info: https://kubernetes.io/docs/concepts/storage/volumes#gcepersistent

Property	Type	Description
<code>readOnly</code>	boolean	readOnly here will force the ReadOnly setting in VolumeMounts. Defaults to false. More info: https://kubernetes.io/docs/concepts/storage/volumes#gcepersistentvolumeclaim

.spec.glusterfs

Description

Represents a Glusterfs mount that lasts the lifetime of a pod. Glusterfs volumes do not support ownership management or SELinux relabeling.

Type

object

Required

endpoints

path

Property	Type	Description
<code>endpoints</code>	string	endpoints is the endpoint name that details Glusterfs topology. More info: https://examples.k8s.io/volumes/glusterfs/README.md#create-a-pod
<code>endpointsNamespace</code>	string	endpointsNamespace is the namespace that contains Glusterfs endpoint. If this field is empty, the EndpointNamespace defaults to the same namespace as the bound PVC. More info: https://examples.k8s.io/volumes/glusterfs/README.md#create-a-pod

Property	Type	Description
path	string	path is the Glusterfs volume path. More info: https://examples.k8s.io/volumes/glusterfs/README.md#a-pod
readOnly	boolean	readOnly here will force the Glusterfs volume to be mounted with read-only permissions. Defaults to false. More info: https://examples.k8s.io/volumes/glusterfs/README.md#a-pod

.spec.hostPath

Description

Represents a host path mapped into a pod. Host path volumes do not support ownership management or SELinux relabeling.

Type

object

Required

path

Property	Type	Description
path	string	path of the directory on the host. If the path is a symlink, it will follow the link to the real path. More info: https://kubernetes.io/docs/concepts/storage/volumes#hostpath
type	string	type for HostPath Volume Defaults to "" More info: https://kubernetes.io/docs/concepts/storage/volumes#hostpath

Property	Type	Description
		<p>Possible enum values:</p> <ul style="list-style-type: none"><code>""</code> For backwards compatible, leave it empty if unset<code>"BlockDevice"</code> A block device must exist at the given path<code>"CharDevice"</code> A character device must exist at the given path<code>"Directory"</code> A directory must exist at the given path<code>"DirectoryOrCreate"</code> If nothing exists at the given path, an empty directory will be created there as needed with file mode 0755, having the same group and ownership with Kubelet.<code>"File"</code> A file must exist at the given path<code>"FileOrCreate"</code> If nothing exists at the given path, an empty file will be created there as needed with file mode 0644, having the same group and ownership with Kubelet.<code>"Socket"</code> A UNIX socket must exist at the given path

.spec.iscsi

Description

ISCSIPersistentVolumeSource represents an iSCSI disk. iSCSI volumes can only be mounted as read/write once. iSCSI volumes support ownership management and SELinux relabeling.

Type

object

Required

targetPortal

iqn

lun

Property	Type	Description
<code>chapAuthDiscovery</code>	<code>boolean</code>	<code>chapAuthDiscovery</code> defines whether support iSCSI Discovery CHAP authentication
<code>chapAuthSession</code>	<code>boolean</code>	<code>chapAuthSession</code> defines whether support iSCSI Session CHAP authentication
<code>fsType</code>	<code>string</code>	<code>fsType</code> is the filesystem type of the volume that you want to mount. Tip: Ensure that the filesystem type is supported by the host operating system. Examples: "ext4", "xfs", "ntfs". Implicitly inferred to be "ext4" if unspecified. More info: https://kubernetes.io/docs/concepts/storage/volumes#iscsi
<code>initiatorName</code>	<code>string</code>	<code>initiatorName</code> is the custom iSCSI Initiator Name. If <code>initiatorName</code> is specified with <code>iscsiInterface</code> simultaneously, new iSCSI interface : will be created for the connection.
<code>iqn</code>	<code>string</code>	<code>iqn</code> is Target iSCSI Qualified Name.
<code>iscsiInterface</code>	<code>string</code>	<code>iscsiInterface</code> is the interface Name that uses an iSCSI transport. Defaults to 'default' (tcp).
<code>lun</code>	<code>integer</code>	<code>lun</code> is iSCSI Target Lun number.

Property	Type	Description
<code>portals</code>	<code>array</code>	<code>portals</code> is the iSCSI Target Portal List. The Portal is either an IP or <code>ip_addr:port</code> if the port is other than default (typically TCP ports 860 and 3260).
<code>readOnly</code>	<code>boolean</code>	<code>readOnly</code> here will force the <code>ReadOnly</code> setting in <code>VolumeMounts</code> . Defaults to <code>false</code> .
<code>secretRef</code>	<code>object</code>	<code>SecretReference</code> represents a Secret Reference. It has enough information to retrieve secret in any namespace
<code>targetPortal</code>	<code>string</code>	<code>targetPortal</code> is iSCSI Target Portal. The Portal is either an IP or <code>ip_addr:port</code> if the port is other than default (typically TCP ports 860 and 3260).

`.spec.iscsi.portals`

Description

`portals` is the iSCSI Target Portal List. The Portal is either an IP or `ip_addr:port` if the port is other than default (typically TCP ports 860 and 3260).

Type

`array`

`.spec.iscsi.portals[]`

Type

`string`

.spec.iscsi.secretRef

Description

SecretReference represents a Secret Reference. It has enough information to retrieve secret in any namespace

Type

object

Property	Type	Description
name	string	name is unique within a namespace to reference a secret resource.
namespace	string	namespace defines the space within which the secret name must be unique.

.spec.local

Description

Local represents directly-attached storage with node affinity

Type

object

Required

path

Property	Type	Description
fsType	string	fsType is the filesystem type to mount. It applies only when the Path is a block device. Must be a filesystem type supported by the

Property	Type	Description
		host operating system. Ex. "ext4", "xfs", "ntfs". The default value is to auto-select a filesystem if unspecified.
<code>path</code>	<code>string</code>	path of the full path to the volume on the node. It can be either a directory or block device (disk, partition, ...).

.spec.mountOptions

Description

mountOptions is the list of mount options, e.g. ["ro", "soft"]. Not validated - mount will simply fail if one is invalid. More info: <https://kubernetes.io/docs/concepts/storage/persistent-volumes/#mount-options>

Type

`array`

.spec.mountOptions[]

Type

`string`

.spec.nfs

Description

Represents an NFS mount that lasts the lifetime of a pod. NFS volumes do not support ownership management or SELinux relabeling.

Type

`object`

Required

`server`

`path`

Property	Type	Description
<code>path</code>	<code>string</code>	path that is exported by the NFS server. More info: https://kubernetes.io/docs/concepts/storage/volumes#nfs
<code>readOnly</code>	<code>boolean</code>	<code>readOnly</code> here will force the NFS export to be mounted with read-only permissions. Defaults to false. More info: https://kubernetes.io/docs/concepts/storage/volumes#nfs
<code>server</code>	<code>string</code>	<code>server</code> is the hostname or IP address of the NFS server. More info: https://kubernetes.io/docs/concepts/storage/volumes#nfs

`.spec.nodeAffinity`

Description

VolumeNodeAffinity defines constraints that limit what nodes this volume can be accessed from.

Type

`object`

Property	Type	Description
<code>required</code>	<code>object</code>	A node selector represents the union of the results of one or more label queries over a set of nodes; that is, it represents the OR of the selectors represented by the node selector terms.

`.spec.nodeAffinity.required`

Description

A node selector represents the union of the results of one or more label queries over a set of nodes; that is, it represents the OR of the selectors represented by the node selector terms.

Type

object

Required

nodeSelectorTerms

Property	Type	Description
nodeSelectorTerms	array	Required. A list of node selector terms. The terms are ORed.

.spec.nodeAffinity.required.nodeSelectorTerms

Description

Required. A list of node selector terms. The terms are ORed.

Type

array

.spec.nodeAffinity.required.nodeSelectorTerms[]

Description

A null or empty node selector term matches no objects. The requirements of them are ANDed. The TopologySelectorTerm type implements a subset of the NodeSelectorTerm.

Type

object

Property	Type	Description
<code>matchExpressions</code>	<code>array</code>	A list of node selector requirements by node's labels.
<code>matchFields</code>	<code>array</code>	A list of node selector requirements by node's fields.

`.spec.nodeAffinity.required.nodeSelectorTerms[].matchExpressions`

Description

A list of node selector requirements by node's labels.

Type

`array`

`.spec.nodeAffinity.required.nodeSelectorTerms[].matchExpressions[]`

Description

A node selector requirement is a selector that contains values, a key, and an operator that relates the key and values.

Type

`object`

Required

`key`

`operator`

Property	Type	Description
<code>key</code>	<code>string</code>	The label key that the selector applies to.

Property	Type	Description
operator	string	<p>Represents a key's relationship to a set of values. Valid operators are In, NotIn, Exists, DoesNotExist, Gt, and Lt.</p> <p>Possible enum values:</p> <ul style="list-style-type: none"> "DoesNotExist" "Exists" "Gt" "In" "Lt" "NotIn"
values	array	<p>An array of string values. If the operator is In or NotIn, the values array must be non-empty. If the operator is Exists or DoesNotExist, the values array must be empty. If the operator is Gt or Lt, the values array must have a single element, which will be interpreted as an integer. This array is replaced during a strategic merge patch.</p>

`.spec.nodeAffinity.required.nodeSelectorTerms[].matchExpressions[].values`

Description

An array of string values. If the operator is In or NotIn, the values array must be non-empty. If the operator is Exists or DoesNotExist, the values array must be empty. If the operator is Gt or Lt, the values array must have a single element, which will be interpreted as an integer. This array is replaced during a strategic merge patch.

Type

array

`.spec.nodeAffinity.required.nodeSelectorTerms[].matchExpressions[].values[]`

Type

`string`

`.spec.nodeAffinity.required.nodeSelectorTerms[].matchFields`

Description

A list of node selector requirements by node's fields.

Type

`array`

`.spec.nodeAffinity.required.nodeSelectorTerms[].matchFields[]`

Description

A node selector requirement is a selector that contains values, a key, and an operator that relates the key and values.

Type

`object`

Required

`key``operator`

Property	Type	Description
<code>key</code>	<code>string</code>	The label key that the selector applies to.

Property	Type	Description
operator	string	<p>Represents a key's relationship to a set of values. Valid operators are In, NotIn, Exists, DoesNotExist, Gt, and Lt.</p> <p>Possible enum values:</p> <ul style="list-style-type: none"> "DoesNotExist" "Exists" "Gt" "In" "Lt" "NotIn"
values	array	<p>An array of string values. If the operator is In or NotIn, the values array must be non-empty. If the operator is Exists or DoesNotExist, the values array must be empty. If the operator is Gt or Lt, the values array must have a single element, which will be interpreted as an integer. This array is replaced during a strategic merge patch.</p>

`.spec.nodeAffinity.required.nodeSelectorTerms[].matchFields[].values`

Description

An array of string values. If the operator is In or NotIn, the values array must be non-empty. If the operator is Exists or DoesNotExist, the values array must be empty. If the operator is Gt or Lt, the values array must have a single element, which will be interpreted as an integer. This array is replaced during a strategic merge patch.

Type

array

`.spec.nodeAffinity.required.nodeSelectorTerms[].matchFields[].values[]`

Type

`string`

`.spec.photonPersistentDisk`

Description

Represents a Photon Controller persistent disk resource.

Type

`object`

Required

`pdID`

Property	Type	Description
<code>fsType</code>	<code>string</code>	fsType is the filesystem type to mount. Must be a filesystem type supported by the host operating system. Ex. "ext4", "xfs", "ntfs". Implicitly inferred to be "ext4" if unspecified.
<code>pdID</code>	<code>string</code>	pdID is the ID that identifies Photon Controller persistent disk

`.spec.portworxVolume`

Description

PortworxVolumeSource represents a Portworx volume resource.

Type

`object`

Required

`volumeID`

Property	Type	Description
<code>fsType</code>	<code>string</code>	<code>fsType</code> represents the filesystem type to mount. Must be a filesystem type supported by the host operating system. Ex. "ext4", "xfs". Implicitly inferred to be "ext4" if unspecified.
<code>readOnly</code>	<code>boolean</code>	<code>readOnly</code> defaults to false (read/write). <code>readOnly</code> here will force the <code>readOnly</code> setting in <code>VolumeMounts</code> .
<code>volumeID</code>	<code>string</code>	<code>volumeID</code> uniquely identifies a Portworx volume

.spec.quobyte

Description

Represents a Quobyte mount that lasts the lifetime of a pod. Quobyte volumes do not support ownership management or SELinux relabeling.

Type

`object`

Required

`registry``volume`

Property	Type	Description
<code>group</code>	<code>string</code>	<code>group</code> to map volume access to. Default is no group

Property	Type	Description
<code>readOnly</code>	<code>boolean</code>	<code>readOnly</code> here will force the Quobyte volume to be mounted with read-only permissions. Defaults to false.
<code>registry</code>	<code>string</code>	<code>registry</code> represents a single or multiple Quobyte Registry services specified as a string as host:port pair (multiple entries are separated with commas) which acts as the central registry for volumes
<code>tenant</code>	<code>string</code>	<code>tenant</code> owning the given Quobyte volume in the Backend Used with dynamically provisioned Quobyte volumes, value is set by the plugin
<code>user</code>	<code>string</code>	<code>user</code> to map volume access to Defaults to serviceaccount user
<code>volume</code>	<code>string</code>	<code>volume</code> is a string that references an already created Quobyte volume by name.

.spec.rbd

Description

Represents a Rados Block Device mount that lasts the lifetime of a pod. RBD volumes support ownership management and SELinux relabeling.

Type

`object`

Required

`monitors`

`image`

Property	Type	Description
<code>fsType</code>	<code>string</code>	<p><code>fsType</code> is the filesystem type of the volume that you want to mount. Tip: Ensure that the filesystem type is supported by the host operating system. Examples: "ext4", "xfs", "ntfs". Implicitly inferred to be "ext4" if unspecified. More info: https://kubernetes.io/docs/concepts/storage/volumes#rbd</p>
<code>image</code>	<code>string</code>	<p><code>image</code> is the rados image name. More info: https://examples.k8s.io/volumes/rbd/README.md#how-to-use-it</p>
<code>keyring</code>	<code>string</code>	<p><code>keyring</code> is the path to key ring for RBDUser. Default is <code>/etc/ceph/keyring</code>. More info: https://examples.k8s.io/volumes/rbd/README.md#how-to-use-it</p>
<code>monitors</code>	<code>array</code>	<p><code>monitors</code> is a collection of Ceph monitors. More info: https://examples.k8s.io/volumes/rbd/README.md#how-to-use-it</p>
<code>pool</code>	<code>string</code>	<p><code>pool</code> is the rados pool name. Default is <code>rbd</code>. More info: https://examples.k8s.io/volumes/rbd/README.md#how-to-use-it</p>

Property	Type	Description
<code>readOnly</code>	<code>boolean</code>	<code>readOnly</code> here will force the <code>ReadOnly</code> setting in <code>VolumeMounts</code> . Defaults to <code>false</code> . More info: https://examples.k8s.io/volumes/rbd/README.md#how-to-use-it
<code>secretRef</code>	<code>object</code>	<code>SecretReference</code> represents a Secret Reference. It has enough information to retrieve secret in any namespace
<code>user</code>	<code>string</code>	<code>user</code> is the rados user name. Default is <code>admin</code> . More info: https://examples.k8s.io/volumes/rbd/README.md#how-to-use-it

`.spec.rbd.monitors`

Description

`monitors` is a collection of Ceph monitors. More info: <https://examples.k8s.io/volumes/rbd/README.md#how-to-use-it>

Type

`array`

`.spec.rbd.monitors[]`

Type

`string`

`.spec.rbd.secretRef`

Description

SecretReference represents a Secret Reference. It has enough information to retrieve secret in any namespace

Type

object

Property	Type	Description
name	string	name is unique within a namespace to reference a secret resource.
namespace	string	namespace defines the space within which the secret name must be unique.

.spec.scaleIO

Description

ScaleIOPersistentVolumeSource represents a persistent ScaleIO volume

Type

object

Required

gateway

system

secretRef

Property	Type	Description
fsType	string	fsType is the filesystem type to mount. Must be a filesystem type supported by the host operating system. Ex. "ext4", "xfs", "ntfs". Default is "xfs"

Property	Type	Description
<code>gateway</code>	<code>string</code>	gateway is the host address of the ScaleIO API Gateway.
<code>protectionDomain</code>	<code>string</code>	protectionDomain is the name of the ScaleIO Protection Domain for the configured storage.
<code>readOnly</code>	<code>boolean</code>	readOnly defaults to false (read/write). ReadOnly here will force the ReadOnly setting in VolumeMounts.
<code>secretRef</code>	<code>object</code>	SecretReference represents a Secret Reference. It has enough information to retrieve secret in any namespace
<code>sslEnabled</code>	<code>boolean</code>	sslEnabled is the flag to enable/disable SSL communication with Gateway, default false
<code>storageMode</code>	<code>string</code>	storageMode indicates whether the storage for a volume should be ThickProvisioned or ThinProvisioned. Default is ThinProvisioned.
<code>storagePool</code>	<code>string</code>	storagePool is the ScaleIO Storage Pool associated with the protection domain.

Property	Type	Description
<code>system</code>	<code>string</code>	system is the name of the storage system as configured in ScaleIO.
<code>volumeName</code>	<code>string</code>	volumeName is the name of a volume already created in the ScaleIO system that is associated with this volume source.

`.spec.scaleIO.secretRef`

Description

SecretReference represents a Secret Reference. It has enough information to retrieve secret in any namespace

Type

`object`

Property	Type	Description
<code>name</code>	<code>string</code>	name is unique within a namespace to reference a secret resource.
<code>namespace</code>	<code>string</code>	namespace defines the space within which the secret name must be unique.

`.spec.storageos`

Description

Represents a StorageOS persistent volume resource.

Type

object

Property	Type	Description
fsType	string	fsType is the filesystem type to mount. Must be a filesystem type supported by the host operating system. Ex. "ext4", "xfs", "ntfs". Implicitly inferred to be "ext4" if unspecified.
readOnly	boolean	readOnly defaults to false (read/write). ReadOnly here will force the ReadOnly setting in VolumeMounts.
secretRef	object	ObjectReference contains enough information to let you inspect or modify the referred object.
volumeName	string	volumeName is the human-readable name of the StorageOS volume. Volume names are only unique within a namespace.
volumeNamespace	string	volumeNamespace specifies the scope of the volume within StorageOS. If no namespace is specified then the Pod's namespace will be used. This allows the Kubernetes name scoping to be mirrored within StorageOS for tighter integration. Set VolumeName to any name to override the default behaviour. Set to "default" if you are not using namespaces within StorageOS. Namespaces that do not pre-exist within StorageOS will be created.

.spec.storageos.secretRef

Description

ObjectReference contains enough information to let you inspect or modify the referred object.

Type

object

Property	Type	Description
<code>apiVersion</code>	<code>string</code>	API version of the referent.
<code>fieldPath</code>	<code>string</code>	<p>If referring to a piece of an object instead of an entire object, this string should contain a valid JSON/Go field access statement, such as <code>desiredState.manifest.containers[2]</code>. For example, if the object reference is to a container within a pod, this would take on a value like: <code>"spec.containers{name}"</code> (where "name" refers to the name of the container that triggered the event) or if no container name is specified <code>"spec.containers[2]"</code> (container with index 2 in this pod). This syntax is chosen only to have some well-defined way of referencing a part of an object.</p>
<code>kind</code>	<code>string</code>	<p>Kind of the referent. More info: https://git.k8s.io/community/contributors/devel/sig-architecture/api-conventions.md#types-kinds</p>

Property	Type	Description
<code>name</code>	<code>string</code>	Name of the referent. More info: https://kubernetes.io/docs/concepts/overview/working-with-objects/names/#names ↗
<code>namespace</code>	<code>string</code>	Namespace of the referent. More info: https://kubernetes.io/docs/concepts/overview/working-with-objects/namespaces/ ↗
<code>resourceVersion</code>	<code>string</code>	Specific resourceVersion to which this reference is made, if any. More info: https://git.k8s.io/community/contributors/devel/sig-architecture/api-conventions.md#concurrency-control-and-consistency ↗
<code>uid</code>	<code>string</code>	UID of the referent. More info: https://kubernetes.io/docs/concepts/overview/working-with-objects/names/#uids ↗

`.spec.vsphereVolume`

Description

Represents a vSphere volume resource.

Type

`object`

Required

`volumePath`

Property	Type	Description
<code>fsType</code>	<code>string</code>	<code>fsType</code> is filesystem type to mount. Must be a filesystem type supported by the host operating system. Ex. "ext4", "xfs", "ntfs". Implicitly inferred to be "ext4" if unspecified.
<code>storagePolicyID</code>	<code>string</code>	<code>storagePolicyID</code> is the storage Policy Based Management (SPBM) profile ID associated with the <code>StoragePolicyName</code> .
<code>storagePolicyName</code>	<code>string</code>	<code>storagePolicyName</code> is the storage Policy Based Management (SPBM) profile name.
<code>volumePath</code>	<code>string</code>	<code>volumePath</code> is the path that identifies vSphere volume vmdk

.status

Description

`PersistentVolumeStatus` is the current status of a persistent volume.

Type

`object`

Property	Type	Description
<code>lastPhaseTransitionTime</code>	<code>string</code>	<code>Time</code> is a wrapper around <code>time.Time</code> which supports correct marshaling to YAML and JSON. Wrappers ar

Property	Type	Description
		provided for many of the factory methods that the <code>tim</code> package offers.
<code>message</code>	<code>string</code>	<code>message</code> is a human-readable message indicating details about why the volume is in this state.
<code>phase</code>	<code>string</code>	<p><code>phase</code> indicates if a volume is available, bound to a claim, or released by a claim. More info: https://kubernetes.io/docs/concepts/storage/persistent-volumes#phase</p> <p>Possible enum values:</p> <ul style="list-style-type: none"> <code>"Available"</code> used for PersistentVolumes that are not yet bound Available volumes are held by the binder and matched to PersistentVolumeClaim <code>"Bound"</code> used for PersistentVolumes that are bound <code>"Failed"</code> used for PersistentVolumes that failed to be correctly recycled or deleted after being released from a claim <code>"Pending"</code> used for PersistentVolumes that are not available <code>"Released"</code> used for PersistentVolumes where the bound PersistentVolumeClaim was deleted released volumes must be recycled before becoming available again this phase is used by the persistent volume claim binder to signal to another process to reclaim the resource

Property	Type	Description
reason	string	reason is a brief CamelCase string that describes an failure and is meant for machine parsing and tidy display in the CLI.

API Endpoints

The following API endpoints are available:

- `/kubernetes/{cluster}/api/v1/persistentvolumes`
 - `DELETE` : delete collection of PersistentVolume
 - `GET` : list objects of kind PersistentVolume
 - `POST` : create a new PersistentVolume
- `/kubernetes/{cluster}/api/v1/persistentvolumes/{name}`
 - `DELETE` : delete the specified PersistentVolume
 - `GET` : read the specified PersistentVolume
 - `PATCH` : partially update the specified PersistentVolume
 - `PUT` : replace the specified PersistentVolume
- `/kubernetes/{cluster}/api/v1/persistentvolumes/{name}/status`
 - `GET` : read status of the specified PersistentVolume
 - `PATCH` : partially update status of the specified PersistentVolume
 - `PUT` : replace status of the specified PersistentVolume

`/kubernetes/{cluster}/api/v1/persistentvolumes`

HTTP method

`DELETE`

Description

delete collection of PersistentVolume

HTTP responses

HTTP code	Response body
200 - OK	<code>Status</code> schema
401 - Unauthorized	Empty

HTTP method

GET

Description

list objects of kind PersistentVolume

HTTP responses

HTTP code	Response body
200 - OK	<code>PersistentVolumeList</code> schema
401 - Unauthorized	Empty

HTTP method

POST

Description

create a new PersistentVolume

Query parameters

Parameter	Type	Description
<code>dryRun</code>	<code>string</code>	When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed

Parameter	Type	Description
<code>fieldValidation</code>	<code>string</code>	<p><code>fieldValidation</code> instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are:</p> <ul style="list-style-type: none"> - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+. - Strict: This will fail the request with a <code>BadRequest</code> error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered.

Body parameters

Parameter	Type	Description
<code>body</code>	<code>PersistentVolume</code> schema	<code>application/json</code> formatted

HTTP responses

HTTP code	Response body
200 - OK	<code>PersistentVolume</code> schema
201 - Created	<code>PersistentVolume</code> schema
202 - Accepted	<code>PersistentVolume</code> schema
401 - Unauthorized	Empty

`/kubernetes/{cluster}/api/v1/persistentvolumes/{name}`

HTTP method

DELETE

Description

delete the specified PersistentVolume

Query parameters

Parameter	Type	Description
dryRun	string	When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed

HTTP responses

HTTP code	Response body
200 - OK	Status schema
202 - Accepted	Status schema
401 - Unauthorized	Empty

HTTP method

GET

Description

read the specified PersistentVolume

HTTP responses

HTTP code	Response body
200 - OK	PersistentVolume schema
401 - Unauthorized	Empty

HTTP method

PATCH

Description

partially update the specified PersistentVolume

Query parameters

Parameter	Type	Description
<code>dryRun</code>	<code>string</code>	When present, indicates that modifications should not be persisted. An invalid or unrecognized <code>dryRun</code> directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed
<code>fieldValidation</code>	<code>string</code>	<code>fieldValidation</code> instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a <code>BadRequest</code> error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered.

HTTP responses

HTTP code	Response body
200 - OK	<code>PersistentVolume</code> schema
401 - Unauthorized	Empty

HTTP method

PUT

Description

replace the specified PersistentVolume

Query parameters

Parameter	Type	Description
<code>dryRun</code>	<code>string</code>	When present, indicates that modifications should not be persisted. An invalid or unrecognized <code>dryRun</code> directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed
<code>fieldValidation</code>	<code>string</code>	<code>fieldValidation</code> instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a <code>BadRequest</code> error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered.

Body parameters

Parameter	Type	Description
<code>body</code>	<code>PersistentVolume</code> schema	<code>application/json</code> formatted

HTTP responses

HTTP code	Response body
200 - OK	<code>PersistentVolume</code> schema
201 - Created	<code>PersistentVolume</code> schema
401 - Unauthorized	Empty

/kubernetes/{cluster}/api/v1/persistentvolumes/{name}/status

HTTP method

GET

Description

read status of the specified PersistentVolume

HTTP responses

HTTP code	Response body
200 - OK	<code>PersistentVolume</code> schema
401 - Unauthorized	Empty

HTTP method

PATCH

Description

partially update status of the specified PersistentVolume

Query parameters

Parameter	Type	Description
<code>dryRun</code>	<code>string</code>	When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing

Parameter	Type	Description
		of the request. Valid values are: - All: all dry run stages will be processed
<code>fieldValidation</code>	<code>string</code>	fieldValidation instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a BadRequest error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered.

HTTP responses

HTTP code	Response body
200 - OK	<code>PersistentVolume</code> schema
401 - Unauthorized	Empty

HTTP method

`PUT`

Description

replace status of the specified PersistentVolume

Query parameters

Parameter	Type	Description
<code>dryRun</code>	<code>string</code>	When present, indicates that modifications should not be persisted. An invalid or unrecognized <code>dryRun</code> directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed
<code>fieldValidation</code>	<code>string</code>	<code>fieldValidation</code> instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a <code>BadRequest</code> error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered.

Body parameters

Parameter	Type	Description
<code>body</code>	<code>PersistentVolume</code> schema	<code>application/json</code> formatted

HTTP responses

HTTP code	Response body
200 - OK	<code>PersistentVolume</code> schema
201 - Created	<code>PersistentVolume</code> schema
401 - Unauthorized	Empty

PersistentVolumeClaim [v1]

Description

PersistentVolumeClaim is a user's request for and claim to a persistent volume

Type

object

Specification

Property	Type	Description
<code>apiVersion</code>	<code>string</code>	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: https://git.k8s.io/community/contributors/devel/sig-architecture/api-conventions.md#resources
<code>kind</code>	<code>string</code>	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: https://git.k8s.io/community/contributors/devel/sig-architecture/api-conventions.md#types-kinds

Property	Type	Description
metadata	ObjectMeta	ObjectMeta is metadata that all persisted resources must have, which includes all objects users must create.
spec	object	PersistentVolumeClaimSpec describes the common attributes of storage devices and allows a Source for provider-specific attributes
status	object	PersistentVolumeClaimStatus is the current status of a persistent volume claim.

.spec

Description

PersistentVolumeClaimSpec describes the common attributes of storage devices and allows a Source for provider-specific attributes

Type

object

Property	Type	Description
accessModes	array	accessModes contains the desired access modes volume should have. More info: https://kubernetes.io/docs/concepts/storage/persistent-volumes#access-modes-1
dataSource	object	TypedLocalObjectReference contains enough information to let you locate the typed referenced

Property	Type	Description
		object inside the same namespace.
<code>dataSourceRef</code>	object	TypedObjectReference contains enough information to let you locate the typed referenced object
<code>resources</code>	object	VolumeResourceRequirements describes the storage resource requirements for a volume.
<code>selector</code>	object	A label selector is a label query over a set of resources. The result of matchLabels and matchExpressions are ANDed. An empty label selector matches all objects. A null label selector matches no objects.
<code>storageClassName</code>	string	storageClassName is the name of the StorageClass required by the claim. More info: https://kubernetes.io/docs/concepts/storage/persistent-volumes#class-1
<code>volumeAttributesClassName</code>	string	volumeAttributesClassName may be used to set the VolumeAttributesClass used by this claim. If specified the CSI driver will create or update the volume with attributes defined in the corresponding VolumeAttributesClass. This has a different purpose than storageClassName, it can be changed after the claim is created. An empty string value means that VolumeAttributesClass will be applied to the claim it's not allowed to reset this field to empty string on

Property	Type	Description
		<p>is set. If unspecified and the PersistentVolumeClaim is unbound, the default VolumeAttributesClass will be used by the persistentvolume controller if it exists. If the resource referred to by volumeAttributesClass does not exist, this PersistentVolumeClaim will be set to Pending state, as reflected by the modifyVolumeStatus field, until such as a resource exists. More info: https://kubernetes.io/docs/concepts/storage/volume-attributes-classes/ (Beta) Using this field requires the VolumeAttributesClass feature gate to be enabled (off by default).</p>
volumeMode	string	<p>volumeMode defines what type of volume is required by the claim. Value of Filesystem is implied when not included in claim spec.</p> <p>Possible enum values:</p> <ul style="list-style-type: none"> "Block" means the volume will not be formatted with a filesystem and will remain a raw block device. "Filesystem" means the volume will be or is formatted with a filesystem.
volumeName	string	<p>volumeName is the binding reference to the PersistentVolume backing this claim.</p>

.spec.accessModes

Description

accessModes contains the desired access modes the volume should have. More info:
<https://kubernetes.io/docs/concepts/storage/persistent-volumes#access-modes-1>

Type

array

.spec.accessModes[]

Type

string

.spec.dataSource

Description

TypedLocalObjectReference contains enough information to let you locate the typed referenced object inside the same namespace.

Type

object

Required

kind

name

Property	Type	Description
apiGroup	string	APIGroup is the group for the resource being referenced. If APIGroup is not specified, the specified Kind must be in the core API group. For any other third-party types, APIGroup is required.
kind	string	Kind is the type of resource being referenced
name	string	Name is the name of resource being referenced

.spec.dataSourceRef

Description

TypedObjectReference contains enough information to let you locate the typed referenced object

Type

object

Required

kind

name

Property	Type	Description
apiGroup	string	APIGroup is the group for the resource being referenced. If APIGroup is not specified, the specified Kind must be in the core API group. For any other third-party types, APIGroup is required.
kind	string	Kind is the type of resource being referenced
name	string	Name is the name of resource being referenced
namespace	string	Namespace is the namespace of resource being referenced Note that when a namespace is specified, a gateway.networking.k8s.io/ReferenceGrant object is required in the referent namespace to allow that namespace's owner to accept the reference. See the ReferenceGrant documentation for details. (Alpha) This field requires the CrossNamespaceVolumeDataSource feature gate to be enabled.

.spec.resources

Description

VolumeResourceRequirements describes the storage resource requirements for a volume.

Type

object

Property	Type	Description
<code>limits</code>	object	Limits describes the maximum amount of compute resources allowed. More info: https://kubernetes.io/docs/concepts/configuration/manage-resources-containers/
<code>requests</code>	object	Requests describes the minimum amount of compute resources required. If Requests is omitted for a container, it defaults to Limits if that is explicitly specified, otherwise to an implementation-defined value. Requests cannot exceed Limits. More info: https://kubernetes.io/docs/concepts/configuration/manage-resources-containers/

.spec.resources.limits

Description

Limits describes the maximum amount of compute resources allowed. More info:
<https://kubernetes.io/docs/concepts/configuration/manage-resources-containers/>

Type

object

.spec.resources.requests

Description

Requests describes the minimum amount of compute resources required. If Requests is omitted for a container, it defaults to Limits if that is explicitly specified, otherwise to an implementation-defined value. Requests cannot exceed Limits. More info:

<https://kubernetes.io/docs/concepts/configuration/manage-resources-containers/>

Type

object

.spec.selector

Description

A label selector is a label query over a set of resources. The result of matchLabels and matchExpressions are ANDed. An empty label selector matches all objects. A null label selector matches no objects.

Type

object

Property	Type	Description
<code>matchExpressions</code>	array	matchExpressions is a list of label selector requirements. The requirements are ANDed.
<code>matchLabels</code>	object	matchLabels is a map of {key,value} pairs. A single {key,value} in the matchLabels map is equivalent to an element of matchExpressions, whose key field is "key", the operator is "In", and the values array contains only "value". The requirements are ANDed.

.spec.selector.matchExpressions

Description

matchExpressions is a list of label selector requirements. The requirements are ANDed.

Type

array

.spec.selector.matchExpressions[]

Description

A label selector requirement is a selector that contains values, a key, and an operator that relates the key and values.

Type

object

Required

key

operator

Property	Type	Description
key	string	key is the label key that the selector applies to.
operator	string	operator represents a key's relationship to a set of values. Valid operators are In, NotIn, Exists and DoesNotExist.
values	array	values is an array of string values. If the operator is In or NotIn, the values array must be non-empty. If the operator is Exists or DoesNotExist, the values array must be empty. This array is replaced during a strategic merge patch.

.spec.selector.matchExpressions[].values

Description

values is an array of string values. If the operator is In or NotIn, the values array must be non-empty. If the operator is Exists or DoesNotExist, the values array must be empty. This array is replaced during a strategic merge patch.

Type

array

.spec.selector.matchExpressions[].values[]

Type

string

.spec.selector.matchLabels

Description

matchLabels is a map of {key,value} pairs. A single {key,value} in the matchLabels map is equivalent to an element of matchExpressions, whose key field is "key", the operator is "In", and the values array contains only "value". The requirements are ANDed.

Type

object

.status

Description

PersistentVolumeClaimStatus is the current status of a persistent volume claim.

Type

object

Property	Type	Description
<code>accessModes</code>	array	<p><code>accessModes</code> contains the actual access modes of the volume backing the PVC has. More info: https://kubernetes.io/docs/concepts/storage/persistent-volumes#access-modes-1</p>
<code>allocatedResourceStatuses</code>	object	<p><code>allocatedResourceStatuses</code> stores status of resources being resized for the given PVC. Key name follows standard Kubernetes label syntax. Valid values are either:</p> <ul style="list-style-type: none"> * Un-prefixed keys: - <code>storage</code> - the controller is resizing the volume. * Custom resources must use implementation-defined prefixed names such as <code>"example.com/my-custom-resource"</code> Apart from un-prefixed values - keys that are unprefixed or have <code>kubernetes.io</code> prefix are considered reserved and hence may not be used. <p>ClaimResourceStatus can be in any of following states:</p> <ul style="list-style-type: none"> - <code>ControllerResizeInProgress</code>: State set when resize controller starts resizing the volume. - <code>ControllerResizeFailed</code>: State set when resize controller has failed in resize controller with a termination error. - <code>NodeResizePending</code>: State set when resize controller has finished resizing the volume but further action is needed on the node. - <code>NodeResizeInProgress</code>: State set when kubelet is resizing the volume. - <code>NodeResizeFailed</code>: State set when resizing has failed in kubelet with a termination error. Transient errors don't set <code>NodeResizeFailed</code>. <p>example: if expanding a PVC for more capacity, the <code>pvc.status.allocatedResourceStatuses[storage.kubernetes.io/pvc-provisioned]</code> field can be one of the following states:</p> <ul style="list-style-type: none"> - <code>pvc.status.allocatedResourceStatuses[storage.kubernetes.io/pvc-provisioned]</code> - <code>"ControllerResizeInProgress"</code> - <code>pvc.status.allocatedResourceStatuses[storage.kubernetes.io/pvc-provisioned]</code>

Property	Type	Description
		<p>"ControllerResizeFailed" - pvc.status.allocatedResourceStatus['storage'] "NodeResizePending" - pvc.status.allocatedResourceStatus['storage'] "NodeResizeInProgress" - pvc.status.allocatedResourceStatus['storage'] "NodeResizeFailed" When this field is not present means that no resize operation is in progress for the given PVC.</p> <p>A controller that receives PVC update with unknown resourceName or ClaimResourceName should ignore the update for the purpose it was designed. For example - a controller that is responsible for resizing capacity of the volume should ignore PVC updates that change other values associated with PVC.</p> <p>This is an alpha field and requires enabling RecoverVolumeExpansionFailure feature.</p>
<p><code>allocatedResources</code></p>	<p><code>object</code></p>	<p>allocatedResources tracks the resources allocated to a PVC including its capacity. Key names follow standard Kubernetes label syntax. Valid values are either: * Un-prefixed keys: - storage - the capacity of the volume. * Custom resources must use implementation-defined prefixed names such as "example.com/my-custom-resource" Apart from these values - keys that are unprefixed or have kubernetes.io prefix are considered reserved and hence may not be used.</p> <p>Capacity reported here may be larger than the requested capacity when a volume expansion operation is requested. For storage quota, the larger value</p>

Property	Type	Description
		<p>allocatedResources and PVC.spec.resour</p> <p>If allocatedResources is not set, PVC.spec alone is used for quota calculation. If a volume expansion capacity request is lowered, allocatedResources is only lowered if there are no expansion operations in progress and if the volume capacity is equal or lower than the capacity.</p> <p>A controller that receives PVC update with unknown resourceName should ignore the update for the purpose it was designed. For example a controller that only is responsible for resizing of the volume, should ignore PVC updates that change other valid resources associated with the volume.</p> <p>This is an alpha field and requires enabling the RecoverVolumeExpansionFailure feature.</p>
capacity	object	capacity represents the actual resources consumed by the underlying volume.
conditions	array	conditions is the current Condition of persistent volume claim. If underlying persistent volume is resized then the Condition will be set to 'Resizing'.

Property	Type	Description
<code>currentVolumeAttributesClassName</code>	<code>string</code>	<p><code>currentVolumeAttributesClassName</code> is the name of the <code>VolumeAttributesClass</code> the PV. When unset, there is no <code>VolumeAttributesClass</code> to this <code>PersistentVolumeClaim</code>. This is a beta feature (requires enabling <code>VolumeAttributesClass</code> feature gate by default).</p>
<code>modifyVolumeStatus</code>	<code>object</code>	<p><code>ModifyVolumeStatus</code> represents the status of the <code>ControllerModifyVolume</code> operation.</p>
<code>phase</code>	<code>string</code>	<p><code>phase</code> represents the current phase of <code>PersistentVolumeClaim</code>.</p> <p>Possible enum values:</p> <ul style="list-style-type: none"> <code>"Bound"</code> used for <code>PersistentVolumeClaim</code> that are bound. <code>"Lost"</code> used for <code>PersistentVolumeClaim</code> that lost their underlying <code>PersistentVolume</code>. This is a beta feature (requires enabling <code>PersistentVolumeRecovery</code> feature gate by default). This is used for <code>PersistentVolumeClaim</code> that was bound to a <code>PersistentVolume</code> and that <code>PersistentVolume</code> does not exist any longer and all data on that <code>PersistentVolume</code> is lost. <code>"Pending"</code> used for <code>PersistentVolumeClaim</code> that are not yet bound.

`.status.accessModes`

Description

accessModes contains the actual access modes the volume backing the PVC has. More info: <https://kubernetes.io/docs/concepts/storage/persistent-volumes#access-modes-1>

Type

array

.status.accessModes[]

Type

string

.status.allocatedResourceStatuses

Description

allocatedResourceStatuses stores status of resource being resized for the given PVC. Key names follow standard Kubernetes label syntax. Valid values are either: * Un-prefixed keys: - storage - the capacity of the volume. * Custom resources must use implementation-defined prefixed names such as "example.com/my-custom-resource" Apart from above values - keys that are unprefixed or have kubernetes.io prefix are considered reserved and hence may not be used. ClaimResourceStatus can be in any of following states: -

ControllerResizeInProgress: State set when resize controller starts resizing the volume in control-plane. - ControllerResizeFailed: State set when resize has failed in resize controller with a terminal error. - NodeResizePending: State set when resize controller has finished resizing the volume but further resizing of volume is needed on the node. -

NodeResizeInProgress: State set when kubelet starts resizing the volume. -

NodeResizeFailed: State set when resizing has failed in kubelet with a terminal error.

Transient errors don't set NodeResizeFailed. For example: if expanding a PVC for more capacity - this field can be one of the following states: -

pvc.status.allocatedResourceStatus['storage'] = "ControllerResizeInProgress" -

pvc.status.allocatedResourceStatus['storage'] = "ControllerResizeFailed" -

pvc.status.allocatedResourceStatus['storage'] = "NodeResizePending" -

pvc.status.allocatedResourceStatus['storage'] = "NodeResizeInProgress" -

pvc.status.allocatedResourceStatus['storage'] = "NodeResizeFailed" When this field is not set, it means that no resize operation is in progress for the given PVC. A controller that receives PVC update with previously unknown resourceName or ClaimResourceStatus should ignore the update for the purpose it was designed. For example - a controller that only is responsible for resizing capacity of the volume, should ignore PVC updates that

change other valid resources associated with PVC. This is an alpha field and requires enabling RecoverVolumeExpansionFailure feature.

Type

object

.status.allocatedResources

Description

allocatedResources tracks the resources allocated to a PVC including its capacity. Key names follow standard Kubernetes label syntax. Valid values are either: * Un-prefixed keys: - storage - the capacity of the volume. * Custom resources must use implementation-defined prefixed names such as "example.com/my-custom-resource" Apart from above values - keys that are unprefixed or have kubernetes.io prefix are considered reserved and hence may not be used. Capacity reported here may be larger than the actual capacity when a volume expansion operation is requested. For storage quota, the larger value from allocatedResources and PVC.spec.resources is used. If allocatedResources is not set, PVC.spec.resources alone is used for quota calculation. If a volume expansion capacity request is lowered, allocatedResources is only lowered if there are no expansion operations in progress and if the actual volume capacity is equal or lower than the requested capacity. A controller that receives PVC update with previously unknown resourceName should ignore the update for the purpose it was designed. For example - a controller that only is responsible for resizing capacity of the volume, should ignore PVC updates that change other valid resources associated with PVC. This is an alpha field and requires enabling RecoverVolumeExpansionFailure feature.

Type

object

.status.capacity

Description

capacity represents the actual resources of the underlying volume.

Type

object

.status.conditions

Description

conditions is the current Condition of persistent volume claim. If underlying persistent volume is being resized then the Condition will be set to 'Resizing'.

Type

array

.status.conditions[]

Description

PersistentVolumeClaimCondition contains details about state of pvc

Type

object

Required

type

status

Property	Type	Description
lastProbeTime	string	Time is a wrapper around time.Time which supports correct JSON. Wrappers are provided for many of the factory methods.
lastTransitionTime	string	Time is a wrapper around time.Time which supports correct JSON. Wrappers are provided for many of the factory methods.
message	string	message is the human-readable message indicating detail

Property	Type	Description
reason	string	reason is a unique, this should be a short, machine understandable reason for condition's last transition. If it reports "Resizing" underlying persistent volume is being resized.
status	string	Status is the status of the condition. Can be True, False, Unknown. https://kubernetes.io/docs/reference/kubernetes-api/config-objects/persistent-volume-claim-conditions/ v1/#:~:text=state%20of%20pvc-,conditions.status,-(string)%
type	string	Type is the type of the condition. More info: https://kubernetes.io/docs/reference/kubernetes-api/config-objects/persistent-volume-claim-conditions/ v1/#:~:text=set%20to%20%27ResizeStarted%27.-,PersistentVolumeClaim%20contains%20details%20about ↗

.status.modifyVolumeStatus

Description

ModifyVolumeStatus represents the status object of ControllerModifyVolume operation

Type

object

Required

status

Property	Type	Description
status	string	status is the status of the ControllerModifyVolume operation. It

Property	Type	Description
		<p>can be in any of following states:</p> <ul style="list-style-type: none">• Pending Pending indicates that the PersistentVolumeClaim cannot be modified due to unmet requirements, such as the specified VolumeAttributesClass not existing.• InProgress InProgress indicates that the volume is being modified.• Infeasible Infeasible indicates that the request has been rejected as invalid by the CSI driver. To resolve the error, a valid VolumeAttributesClass needs to be specified. Note: New statuses can be added in the future. Consumers should check for unknown statuses and fail appropriately. <p>Possible enum values:</p> <ul style="list-style-type: none">• <code>"InProgress"</code> InProgress indicates that the volume is being modified• <code>"Infeasible"</code> Infeasible indicates that the request has been rejected as invalid by the CSI driver. To resolve the error, a valid VolumeAttributesClass needs to be specified• <code>"Pending"</code> Pending indicates that the PersistentVolumeClaim cannot be modified due to unmet

Property	Type	Description
		requirements, such as the specified VolumeAttributesClass not existing
<code>targetVolumeAttributesClassName</code>	<code>string</code>	<code>targetVolumeAttributesClassName</code> is the name of the VolumeAttributesClass the PVC currently being reconciled

API Endpoints

The following API endpoints are available:

- `/kubernetes/{cluster}/api/v1/namespaces/{namespace}/persistentvolumeclaims`
 - `DELETE` : delete collection of PersistentVolumeClaim
 - `GET` : list objects of kind PersistentVolumeClaim
 - `POST` : create a new PersistentVolumeClaim
- `/kubernetes/{cluster}/api/v1/namespaces/{namespace}/persistentvolumeclaims/{name}`
 - `DELETE` : delete the specified PersistentVolumeClaim
 - `GET` : read the specified PersistentVolumeClaim
 - `PATCH` : partially update the specified PersistentVolumeClaim
 - `PUT` : replace the specified PersistentVolumeClaim
- `/kubernetes/{cluster}/api/v1/namespaces/{namespace}/persistentvolumeclaims/{name}/status`
 - `GET` : read status of the specified PersistentVolumeClaim
 - `PATCH` : partially update status of the specified PersistentVolumeClaim

- **PUT** : replace status of the specified PersistentVolumeClaim

/kubernetes/{cluster}/api/v1/namespaces/{namespace}/persistentvolumeclaims

HTTP method

DELETE

Description

delete collection of PersistentVolumeClaim

HTTP responses

HTTP code	Response body
200 - OK	Status schema
401 - Unauthorized	Empty

HTTP method

GET

Description

list objects of kind PersistentVolumeClaim

HTTP responses

HTTP code	Response body
200 - OK	PersistentVolumeClaimList schema
401 - Unauthorized	Empty

HTTP method

POST

Description

create a new PersistentVolumeClaim

Query parameters

Parameter	Type	Description
<code>dryRun</code>	<code>string</code>	When present, indicates that modifications should not be persisted. An invalid or unrecognized <code>dryRun</code> directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed
<code>fieldValidation</code>	<code>string</code>	<code>fieldValidation</code> instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a <code>BadRequest</code> error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered.

Body parameters

Parameter	Type	Description
<code>body</code>	<code>PersistentVolumeClaim</code> schema	<code>application/json</code> formatted

HTTP responses

HTTP code	Response body
200 - OK	<code>PersistentVolumeClaim</code> schema
201 - Created	<code>PersistentVolumeClaim</code> schema

HTTP code	Response body
202 - Accepted	<code>PersistentVolumeClaim</code> schema
401 - Unauthorized	Empty

/kubernetes/{cluster}/api/v1/namespaces/{namespace}/persistentvolumeclaims/{name}

HTTP method

DELETE

Description

delete the specified PersistentVolumeClaim

Query parameters

Parameter	Type	Description
<code>dryRun</code>	<code>string</code>	When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed

HTTP responses

HTTP code	Response body
200 - OK	<code>Status</code> schema
202 - Accepted	<code>Status</code> schema
401 - Unauthorized	Empty

HTTP method

GET

Description

read the specified PersistentVolumeClaim

HTTP responses

HTTP code	Response body
200 - OK	<code>PersistentVolumeClaim</code> schema
401 - Unauthorized	Empty

HTTP method

PATCH

Description

partially update the specified PersistentVolumeClaim

Query parameters

Parameter	Type	Description
<code>dryRun</code>	<code>string</code>	When present, indicates that modifications should not be persisted. An invalid or unrecognized <code>dryRun</code> directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed
<code>fieldValidation</code>	<code>string</code>	<code>fieldValidation</code> instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a <code>BadRequest</code> error if any unknown fields would be dropped from the object, or if any duplicate fields are

Parameter	Type	Description
		present. The error returned from the server will contain all unknown and duplicate fields encountered.

HTTP responses

HTTP code	Response body
200 - OK	<code>PersistentVolumeClaim</code> schema
401 - Unauthorized	Empty

HTTP method

PUT

Description

replace the specified PersistentVolumeClaim

Query parameters

Parameter	Type	Description
<code>dryRun</code>	<code>string</code>	When present, indicates that modifications should not be persisted. An invalid or unrecognized <code>dryRun</code> directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed
<code>fieldValidation</code>	<code>string</code>	<code>fieldValidation</code> instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a

Parameter	Type	Description
		BadRequest error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered.

Body parameters

Parameter	Type	Description
body	PersistentVolumeClaim schema	application/json formatted

HTTP responses

HTTP code	Response body
200 - OK	PersistentVolumeClaim schema
201 - Created	PersistentVolumeClaim schema
401 - Unauthorized	Empty

/kubernetes/{cluster}/api/v1/namespaces/{namespace}/persistentvolumeclaims/{name}/status

HTTP method

GET

Description

read status of the specified PersistentVolumeClaim

HTTP responses

HTTP code	Response body
200 - OK	PersistentVolumeClaim schema
401 - Unauthorized	Empty

HTTP method

PATCH

Description

partially update status of the specified PersistentVolumeClaim

Query parameters

Parameter	Type	Description
<code>dryRun</code>	<code>string</code>	When present, indicates that modifications should not be persisted. An invalid or unrecognized <code>dryRun</code> directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed
<code>fieldValidation</code>	<code>string</code>	<code>fieldValidation</code> instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a <code>BadRequest</code> error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered.

HTTP responses

HTTP code	Response body
200 - OK	<code>PersistentVolumeClaim</code> schema
401 - Unauthorized	Empty

HTTP method

PUT

Description

replace status of the specified PersistentVolumeClaim

Query parameters

Parameter	Type	Description
<code>dryRun</code>	<code>string</code>	When present, indicates that modifications should not be persisted. An invalid or unrecognized <code>dryRun</code> directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed
<code>fieldValidation</code>	<code>string</code>	<code>fieldValidation</code> instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a <code>BadRequest</code> error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered.

Body parameters

Parameter	Type	Description
<code>body</code>	<code>PersistentVolumeClaim</code> schema	<code>application/json</code> formatted

HTTP responses

HTTP code	Response body
200 - OK	<code>PersistentVolumeClaim</code> schema
201 - Created	<code>PersistentVolumeClaim</code> schema
401 - Unauthorized	Empty

StorageClass [storage.k8s.io/v1]

Description

StorageClass describes the parameters for a class of storage for which PersistentVolumes can be dynamically provisioned. StorageClasses are non-namespaced; the name of the storage class according to etcd is in ObjectMeta.Name.

Type

`object`

Required

`provisioner`

Specification

Property	Type	Description
<code>allowVolumeExpansion</code>	<code>boolean</code>	<code>allowVolumeExpansion</code> shows whether the storage class allow volume expand.
<code>allowedTopologies</code>	<code>array</code>	<code>allowedTopologies</code> restrict the node topologies where volumes can be dynamically provisioned. Each volume plugin defines its own supported topology specifications. An empty <code>TopologySelectorTerm</code> list means there is no topology restriction. This field is only honored by

Property	Type	Description
		servers that enable the VolumeScheduling feature.
apiVersion	string	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: https://git.k8s.io/community/contributors/devel/sig-architecture/api-conventions.md#resources
kind	string	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: https://git.k8s.io/community/contributors/devel/sig-architecture/api-conventions.md#types-kinds
metadata	ObjectMeta	ObjectMeta is metadata that all persisted resources must have, which includes all objects users must create.
mountOptions	array	mountOptions controls the mountOptions for dynamically provisioned PersistentVolumes of this storage class. e.g. ["ro", "soft"]. Not validated - mount of the PVs will simply fail if one is invalid.

Property	Type	Description
<code>parameters</code>	<code>object</code>	parameters holds the parameters for the provisioner that should create volumes of this storage class.
<code>provisioner</code>	<code>string</code>	provisioner indicates the type of the provisioner.
<code>reclaimPolicy</code>	<code>string</code>	<p>reclaimPolicy controls the reclaimPolicy for dynamically provisioned PersistentVolumes of this storage class. Defaults to Delete.</p> <p>Possible enum values:</p> <ul style="list-style-type: none"><code>"Delete"</code> means the volume will be deleted from Kubernetes on release from its claim. The volume plugin must support Deletion.<code>"Recycle"</code> means the volume will be recycled back into the pool of unbound persistent volumes on release from its claim. The volume plugin must support Recycling.<code>"Retain"</code> means the volume will be left in its current phase (Released) for manual reclamation by the administrator. The default policy is Retain.
<code>volumeBindingMode</code>	<code>string</code>	volumeBindingMode indicates how PersistentVolumeClaims should be provisioned and bound. When unset, VolumeBindingImmediate is used. This field is only honored by servers that enable the VolumeScheduling feature.

Property	Type	Description
		<p>Possible enum values:</p> <ul style="list-style-type: none"> "Immediate" indicates that PersistentVolumeClaims should be immediately provisioned and bound. This is the default mode. "WaitForFirstConsumer" indicates that PersistentVolumeClaims should not be provisioned and bound until the first Pod is created that references the PersistentVolumeClaim. The volume provisioning and binding will occur during Pod scheduling.

.allowedTopologies

Description

allowedTopologies restrict the node topologies where volumes can be dynamically provisioned. Each volume plugin defines its own supported topology specifications. An empty TopologySelectorTerm list means there is no topology restriction. This field is only honored by servers that enable the VolumeScheduling feature.

Type

array

.allowedTopologies[]

Description

A topology selector term represents the result of label queries. A null or empty topology selector term matches no objects. The requirements of them are ANDed. It provides a subset of functionality as NodeSelectorTerm. This is an alpha feature and may change in the future.

Type

object

Property	Type	Description
matchLabelExpressions	array	A list of topology selector requirements by labels.

.allowedTopologies[].matchLabelExpressions

Description

A list of topology selector requirements by labels.

Type

array

.allowedTopologies[].matchLabelExpressions[]

Description

A topology selector requirement is a selector that matches given label. This is an alpha feature and may change in the future.

Type

object

Required

key

values

Property	Type	Description
key	string	The label key that the selector applies to.
values	array	An array of string values. One value must match the label to be selected. Each entry in Values is ORed.

`.allowedTopologies[].matchLabelExpressions[].values`

Description

An array of string values. One value must match the label to be selected. Each entry in Values is ORed.

Type

array

`.allowedTopologies[].matchLabelExpressions[].values[]`

Type

string

`.mountOptions`

Description

mountOptions controls the mountOptions for dynamically provisioned PersistentVolumes of this storage class. e.g. ["ro", "soft"]. Not validated - mount of the PVs will simply fail if one is invalid.

Type

array

`.mountOptions[]`

Type

string

`.parameters`

Description

parameters holds the parameters for the provisioner that should create volumes of this storage class.

Type

object

API Endpoints

The following API endpoints are available:

- `/kubernetes/{cluster}/apis/storage.k8s.io/v1/storageclasses`
 - **DELETE** : delete collection of StorageClass
 - **GET** : list objects of kind StorageClass
 - **POST** : create a new StorageClass
- `/kubernetes/{cluster}/apis/storage.k8s.io/v1/storageclasses/{name}`
 - **DELETE** : delete the specified StorageClass
 - **GET** : read the specified StorageClass
 - **PATCH** : partially update the specified StorageClass
 - **PUT** : replace the specified StorageClass

/kubernetes/{cluster}/apis/storage.k8s.io/v1/storageclasses

HTTP method

DELETE

Description

delete collection of StorageClass

HTTP responses

HTTP code	Response body
200 - OK	Status schema

HTTP code	Response body
401 - Unauthorized	Empty

HTTP method

GET

Description

list objects of kind StorageClass

HTTP responses

HTTP code	Response body
200 - OK	<code>StorageClassList</code> schema
401 - Unauthorized	Empty

HTTP method

POST

Description

create a new StorageClass

Query parameters

Parameter	Type	Description
<code>dryRun</code>	<code>string</code>	When present, indicates that modifications should not be persisted. An invalid or unrecognized <code>dryRun</code> directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed
<code>fieldValidation</code>	<code>string</code>	<code>fieldValidation</code> instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a

Parameter	Type	Description
		warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a BadRequest error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered.

Body parameters

Parameter	Type	Description
body	StorageClass schema	application/json formatted

HTTP responses

HTTP code	Response body
200 - OK	StorageClass schema
201 - Created	StorageClass schema
202 - Accepted	StorageClass schema
401 - Unauthorized	Empty

/kubernetes/{cluster}/apis/storage.k8s.io/v1/storageclasses/{name}

HTTP method

DELETE

Description

delete the specified StorageClass

Query parameters

Parameter	Type	Description
<code>dryRun</code>	<code>string</code>	When present, indicates that modifications should not be persisted. An invalid or unrecognized <code>dryRun</code> directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed

HTTP responses

HTTP code	Response body
200 - OK	<code>Status</code> schema
202 - Accepted	<code>Status</code> schema
401 - Unauthorized	Empty

HTTP method

`GET`

Description

read the specified StorageClass

HTTP responses

HTTP code	Response body
200 - OK	<code>StorageClass</code> schema
401 - Unauthorized	Empty

HTTP method

`PATCH`

Description

partially update the specified StorageClass

Query parameters

Parameter	Type	Description
<code>dryRun</code>	<code>string</code>	When present, indicates that modifications should not be persisted. An invalid or unrecognized <code>dryRun</code> directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed
<code>fieldValidation</code>	<code>string</code>	<code>fieldValidation</code> instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a <code>BadRequest</code> error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered.

HTTP responses

HTTP code	Response body
200 - OK	<code>StorageClass</code> schema
401 - Unauthorized	Empty

HTTP method

`PUT`

Description

replace the specified `StorageClass`

Query parameters

Parameter	Type	Description
<code>dryRun</code>	<code>string</code>	When present, indicates that modifications should not be persisted. An invalid or unrecognized <code>dryRun</code> directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed
<code>fieldValidation</code>	<code>string</code>	<code>fieldValidation</code> instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a <code>BadRequest</code> error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered.

Body parameters

Parameter	Type	Description
<code>body</code>	<code>StorageClass</code> schema	<code>application/json</code> formatted

HTTP responses

HTTP code	Response body
200 - OK	<code>StorageClass</code> schema
201 - Created	<code>StorageClass</code> schema
401 - Unauthorized	Empty

